



After Tenkhoff Catheter Insertion

1. You may feel sleepy for several hours after surgery.
2. Do not drive any vehicles or ride a bike for at least 24 hours.
3. Do not operate heavy equipment, including lawn mowers.
4. Your appointment with the Peritoneal Dialysis Clinic is on (date) _____ at (time) _____. The clinic's telephone number is _____.
Staff at your peritoneal dialysis center will begin flushing your catheter. They will teach you about peritoneal dialysis and how to care for your catheter. You should make an appointment with this center within 3 days after your catheter was inserted.
5. Your sutures may dissolve on their own, but if they do not, they can be removed on (date) _____ at (time) _____.
6. Do not bathe or swim until your catheter site is completely healed. Your doctor must give you specific permission to shower, take a bath, or swim.
7. You may remove the dressings after _____ days. You will receive extra gauze pads and tape so that you can change your dressing.
8. You may remove your dressings sooner if they become soiled with blood or drainage. Please call the transplant center before you take off the dressing.
9. Wash your hands well before and after removing the dressing.
10. Call the transplant unit if you notice swelling, redness, drainage (more than a spot or two), worsening pain, or anything that concerns you.
11. If you experience fever, abdominal pain, or nausea/vomiting, call us. Plan to come in to see us that day.

Other Instructions:

Contacts—Transplant Center telephone number: 301-496-1009

Your Doctor:



2004

This information is prepared specifically for patients participating in clinical research at the Warren Grant Magnuson Clinical Center at the National Institutes of Health and is not necessarily applicable to individuals who are patients elsewhere. If you have questions about the information presented here, talk to a member of your healthcare team.

Questions about the Clinical Center? OCCC@cc.nih.gov

Where applicable, brand names of commercial products are provided only as illustrative examples of acceptable products, and do not imply endorsement by NIH; nor does the fact that a particular brand name product is not identified imply that such product is unsatisfactory.

National Institutes of Health
Warren Grant Magnuson Clinical Center
Bethesda, Maryland 20892